


Sales Quotation

 <p>Steve De La Montanya 143 Meadow Place Windsor, CA 95492</p>	<p>11/12/2013</p> <p>707-546-1070</p>	<p style="text-align: right; margin-right: 20px;"><i>Customer</i></p> <p>EMS Redline Chevrolet Diesel Type II "SE"</p> <p>720 Portal Street Cotati, CA 94391 Justin Calaway</p> <p style="text-align: right;">707.975.3926</p>	<p>L 1304</p> <p><i>VIN Number</i></p> <p><i>Parent Job</i> 1304</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------

Itemnumber Description

10 - BASE SECTION

10.

10. 1 Prep van and add fiberglass roof (CHEVY)

10. 31 (2013 Mid Year) Chevy Type II "SE" Base Conversion.

10. 62 (2014) CHEVY (DIESEL) EXPRESS CARGO VAN Chassis 155" Wheelbase

- GVWR: 9,900
- 6.6L Duramax Diesel
- 260 HP @ 3,100 RPM
- 525 Ft-Lbs Torque @ 1,600 RPM
- Dual 145-Amp Alternators
- High Idle
- Rear axle 3.54 ratio

20 - PRE TAX

20.

20. 1 Document Processing Fees

30.

40.

51.

200 - INTERIOR CABINETS - STANDARD

A.

A. 1 Cabinet lower, street side, center action wall, rear folding stretcher storage @ rear, w/ 1 inch black strap & quick connect clip, (4) storage cabinets w/ sliding polycarbonate doors, (3) of the (4) storage cabinets to have adjustable shelves, (1) open storage area forward of action wall to house (3) latex glove boxes, (1) hinged wood door w/ PVC banded edges w/ (2) vents & non-locking latch for Inverter access.
NOTE: (3) boxes of latex gloves included.



11/12/2013

Steve De La Montanya 707-546-1070
143 Meadow Place
Windsor, CA 95492

EMS Redline Chevrolet Diesel Type II "SE"

Customer

L 1304

720 Portal Street
Cotati, CA 94391
Justin Calaway

707.975.3926

VIN Number

Parent Job 1304

Itemnumber Description

A. 2 Cabinet upper, street side, (2) storage cabinets w/ sliding polycarbonate doors, (1) lockable drug cabinet w/ hinged wood door and PVC banded edges w/ 7/8 keyed lock, A/C plenum located above storage cabinet w/ (6) air output rotating louvers.

A. 3 Partition/transverse oxygen cabinet, street side.

A. 4 Partition/transverse oxygen "H" or "M" /ALS medical shelves, curbside, solid partition with window opening, recessed aluminum uni-strut in partition wall for (2) ALS adjustable powder coated metal shelves with 1 inch upper lip (trim lock added to upper lip), top of transverse oxygen cabinet below shelves will have a 1 inch aluminum lip bordering the outside edges (trim lock added to lip), (4) 1 inch black straps with quick connect clip included, (1) per metal shelf & (2) on top of transverse oxygen cabinet, (2) oxygen access openings on face with hinged polycarbonate doors w/ finger holes, (1) hinged wood door with non-locking latch, w/ PVC banded edges @ side for oxygen tank access, w/ protective stainless steel sill.

A. 5 Upper partition cabinet, (1) storage cabinet for (electrical components) w/ hinged wood door with PVC banded edges, w/ locking latch and (2) round vents, (1) A/C intake Gibraltar vent cover.

A. 6 Squad bench, curbside wall, slanted storage for oversized backboards, constructed of 16 gage aluminum. (2) hinged seat lids w/ gas cylinder hold open devices & rubber flex draw hold down latches per lid. (1) single backrest, (2) patient retractable lap seat belts, (2) attendant retractable lap seat belts. Squad bench shall be full length, w/ cabinet @ head end, which includes a top drop (Kendall 5qt) sharps container & trash container, a single hinged red polycarbonate lid for trash container w/ aluminum edge handle. (NOTE: (1) Sharps & (1) Trash container included)

A. 7 Cabinet upper, rear overhead, storage area w/ sliding polycarbonate doors.

A. 8 Center console, removable for engine service, Mandatory for switches, siren, etc. Two piece removable lid, upper section to house switch panel, lower section to house two-way radios. Two round vents, one on each side.

A. 9 Action wall panel, wood panel laminated with black formica with oxygen & electrical cut outs.

A. 200

300 - INTERIOR TRIM AND COLOR - STANDARD

B.

B. 1 Floor color/material - (Non Coved) trimmed with aluminum cove molding along edges, Anti-Microbial, Lonseal - Lonfloor Flecks #500 Onyx.

B. 2 Laminate color, exterior upper matte, Light Grey - D 355 / Interior cabinets to match exterior.

B. 3 Laminate color, exterior lower matte Dark Grey - 10592 / Interior cabinets to match exterior. Action wall laminated in Black. Stretcher cabinet laminated in Dakota Ridge.

B. 4 Polycarbonate color .240, Clear

B. 5 Polycarbonate sliding doors, retain handles on doors and provide holes for cable ties.



11/12/2013

Steve De La Montanya 707-546-1070
143 Meadow Place
Windsor, CA 95492

EMS Redline Chevrolet Diesel Type II "SE"

Customer

L 1304

720 Portal Street
Cotati, CA 94391
Justin Calaway

707.975.3926

VIN Number

Parent Job 1304

Itemnumber Description

B. 6 Attendant seat, EVS #17803E Black high back (seamless) attendant seat w/ 3 point restraint, w/ Leader stamped into seat, w/ reinforced pedestal base #CBPED w/out sliding track, seat is in a fixed location.

B. 7 Seat Cushions/Back Rest, upholstery color/material - Black Doeskin #DOS4849 (seamless) w/ 2" foam for seat cushions & back rest, attached with velcro.

B. 8 Headbumpers/Fillers upholstery color/material - Black-Doeskin #DOS4849 w/ 1/4" closed cell foam.

B. 9 Door panels, OEM black ribbed door panels.

B. 10 Insulation, foil backed bubble astro-cooler walls and roof areas.

B. 11 Patient compartment headliner, 1/4" MDF, laminated with White Formica, Matte Finish.

300 - INTERIOR TRIM AND COLOR - OPTIONS

B. 300

B. 301 (2012) Rubber mat set (3), rubber mat inserts for (3) ALS shelf areas.

400 - WARNING DEVICES - STANDARD

C.

C. 1 Light bar, front low roof, Code III LED/Halogen, #LEDX2100/2158A, Red/Clear lenses, steady Red in center section.

C. 2 Warning lights, side, (4) - (2) per side, Code III Halogen #88R, Red.

C. 3 Warning lights, rear outboard, (2) Code III Halogen #88R & #88A, (1) Red, (1) Amber

C. 4 Warning lights, grille, (2) Code III LED #TRX6R w/ chrome bezel, Red, mounted on horizontal OEM grille bar.

C. 5 Scene lights, side (4) - (2) per side, Code III Halogen #88-26 w/ 26 degree angle, Clear.

C. 6 Scene lights, rear inboard, (2) Code III Halogen #88-26 w/ 26 degree angle, Clear

C. 7 Siren speaker, Cast Product Chevy under bumper mount, (2) 100 watt drivers.

C. 8 Warning light flasher (2) Vanner #3250 GCPE

C. 9 3rd Brake light, OEM

C. 10 Back-up alarm, rear mounted, 97 decibel with auto reset, w/ console defeat switch.

C. 11 Daytime running lights, cancel when vehicle is placed in Park (OEM Std)



11/12/2013

Steve De La Montanya 707-546-1070
143 Meadow Place
Windsor, CA 95492

EMS Redline Chevrolet Diesel Type II "SE"

Customer

L 1304

720 Portal Street
Cotati, CA 94391
Justin Calaway

707.975.3926

VIN Number

Parent Job 1304

Itemnumber Description

400 - WARNING DEVICES - OPTIONS

C. 400

C. 402 Intersection lights front fenders, (2) Code III 45BZR Red LED w/ chrome flange.

Note: K Spec Item

500 - ELECTRICAL CONTROL CENTER - STANDARD

D.

D. 1 Cab headliner, OEM (Switching, siren, etc. located in center console)

D. 2 Circuit board / components - Located inside A5 cabinet.

D. 3 Electrical switch panel front center console, Black Santrex material, back lit.

D. 4 Siren electronic w/ remote amp, located in center console, Whelen 295HFSA7 Ca. Spec. (high-low deleted) flush mount bezel, dual tone, 100 watt output, w/removable mic, hands free, horn ring control.

D. 5 Indicator lamp Red, DOOR OPEN, C.H. LED pilot light.

D. 6 Switch, PRI-SEC center off, Primary controls all emergency lights, secondary controls rear (outboard) warning lights only, C.H. LED switch, lit Red/Amber

D. 7 Switch, BACK-UP ALARM, C.H. non-lit momentary.

D. 8 Switch, LEFT FLOOD, C.H. LED, lit White.

D. 9 Switch, REAR FLOOD, C.H. LED, lit White.

D. 10 Switch, RIGHT FLOOD, C.H. LED, lit White.

D. 11 Switch, PATIENT DOME, 3-way, C.H. LED, lit Amber.

D. 12 Switch, PATIENT HEAT/AC, 3-way, C.H. LED, lit Blue.

D. 13 Switch, MODULE DISCONNECT, C.H. LED, lit Green.

D. 14 Map light, Hella 19" mounted on passenger side of center console.

D. 15 Two-way radio power, Positive - Negative - Ignition, with terminal strip, located inside radio compartment of center console.

D. 500

600 - ELECTRICAL PATIENT COMPARTMENT - STANDARD



11/12/2013

Steve De La Montanya 707-546-1070
143 Meadow Place
Windsor, CA 95492

EMS Redline Chevrolet Diesel Type II "SE"

Customer

L 1304

720 Portal Street
Cotati, CA 94391
Justin Calaway

707.975.3926

VIN Number

Parent Job 1304

Itemnumber Description

E.

E. 1 Dome lamps, ceiling, (5) flush mount, halogen two-stage, Clear, door jamb switch activated (low intensity) and switch panel activated (high-low)

E. 2 Electrical outlet 12 volt, (1) , rear action wall, cigarette style.

E. 3 Electrical outlet (2) 120V, ALS cabinet, action wall, with pilot lights, mounted on grey plastic housings, wired to shore power.

E. 4 Switch panel rear, (10) position Black Santex (switch plate only) back lit, (includes blank inserts)

E. 5 Switch, DOME, 3-way, C.H. LED, lit Amber.

E. 6 Switch, DOME HI-LO, C.H. (non lit)

E. 7 Switch, ELECT SUCTION, C.H.LED, lit Amber.

E. 8 Switch, EXHAUST, C.H. LED, lit Amber.

E. 9 Switch, PATIENT HEAT A/C, 3-way, C.H. LED, lit Blue.

E. 10 Switch, A/C, FAN HI-LO, C.H, (non-lit)

E. 11 Switch, A/C, HEAT-COOL, C.H. (non-lit)

E. 12 Shore power, 120V, 15 amp, behind driver door, Hubbell cast cover, wired to 110V outlets in patient compartment.

E. 13 Restocking light timer, right rear wall, five minute. Controls (3) dome lights over cot, (high intensity)

E. 14 Step Well Light LED, located in side door step well, door switch activated, (Grote)

E. 15 Inverter Pre-Wire, Includes 12volt Pos-Neg with Anderson quick disconnect connector, terminating inside inverter compartment. (Does not include remote panel or rocker switch)

600 - ELECTRICAL PATIENT COMPARTMENT - OPTIONS

E. 600

E. 605 Battery charger, IOTA 45 amp. (connected to shoreline)

Note: K Spec Item

700 - ELECTRICAL AND MECHANICAL - STANDARD

F.

F. 1 Air conditioning/heater, driver compartment switching control dash, Chevy OEM, w/prep for rear air.



11/12/2013

Steve De La Montanya 707-546-1070
143 Meadow Place
Windsor, CA 95492

EMS Redline Chevrolet Diesel Type II "SE"

Customer

L 1304

720 Portal Street
Cotati, CA 94391
Justin Calaway

707.975.3926

VIN Number

Parent Job 1304

Itemnumber Description

- F. 2 Air conditioning / heater, patient compartment, ducted central air, with intake vent and (6) A/C round louvers.
- F. 3 Power Exhaust vent, left rear, Cast Products exterior cover, interior louver round
- F. 4 Air conditioning hose, shielded low loss, wedged on fittings, R134 (included w/ F2)
- F. 5 Heater hose, Nomex, Ford QVM (included w/ F2)
- F. 6 Alternator, Dual OEM
- F. 7 Shut Down Timer, with 5 min. delay activated via ignition switch.
- F. 8 Antenna wiring, center roof location, (2) coax RG58A/U, stainless steel mounting plates (plugged), terminates behind driver's seat.
- F. 9 Wiring loom, Leader fabricated, hi temp SXL, color coded, number coded and function labeled, with split loom wire protection
- F. 10 Auto Throttle, OEM

F. 700

800 - OXYGEN SYSTEM - STANDARD

G.

- G. 1 Aspirator, action wall area, SSCOR 22000, flush mount panel and gauge.
- G. 2 Vacuum pump, 12V, w/vent tube to exterior.
- G. 3 Oxygen system, Amico Ohio style quick release, (2) outlets in action wall panel.
- G. 4 Oxygen bottle rack, transverse mount, Leader Brand, Must Specify "M" or "H" tank. (Leader Brand has the capability of stacking "M" size, one on top of the other)

800 - OXYGEN SYSTEM - OPTIONS

G. 800

- G. 804 Oxygen regulator, preset 50 psi.
Note: K Spec Item
- G. 810 Oxygen wrench, cable to wall by large bottle.
Note: K Spec Item

900 - HARDWARE -STANDARD

H.



11/12/2013

Steve De La Montanya 707-546-1070
143 Meadow Place
Windsor, CA 95492

EMS Redline Chevrolet Diesel Type II "SE"

Customer

L 1304

720 Portal Street
Cotati, CA 94391
Justin Calaway

707.975.3926

VIN Number

Parent Job 1304

Itemnumber Description

H. 1 Seat belts, patient compartment, (4) sets of lap belts, (2) for squad bench attendants, (2) for squad bench patient. Black color.

H. 2 I.V. holder, (2) wall mount, chrome spring loaded clip, surface mount.
(See print for location)

H. 3 (4) Pull handles, patient doors

H. 4 Ceiling grab rail, center mounted, stainless steel, 60" length, satin finish.

H. 5 Door hold open, back doors, Cast Products, polished aluminum with replaceable rubber insert.

H. 6 Rear Step, grip strut grating, grey powder coat,

H. 7 Door sills (2), rear - #4 bright stainless steel full width w/ ramp edge / side - stair nose molding.

H. 8 Hardware plates, ceiling area, (4) mounting plates for hanging hardware, (2) mounting plates for squad bench cargo net.

900 - HARDWARE - OPTIONS

H. 900

H. 904 Net, Font End of Squad Bench. (1) Leader style, (5) Ankra fasteners, (1) ratchet buckle, and Black 1 1/2" webbing.

H. 905 Fire Extinguisher,ABC,5 Lb. Loose

Note: Quantity: Two (2)

K Spec Item

1000 -PATIENT HANDLING EQUIPMENT - STANDARD

I.

I. 1 Cot fastener, Stryker #6371, rear hook wall mount, front antlers removable. (specify cot model)

I. 1000

1100 -PAINT, BODY AND GRAPHICS - STANDARD

J.

J. 1 Emblems, Leader front fenders, rear doors, no smoking labels, ETC.

J. 1100



11/12/2013

Steve De La Montanya 707-546-1070
143 Meadow Place
Windsor, CA 95492

EMS Redline Chevrolet Diesel Type II "SE"

Customer

L 1304

720 Portal Street
Cotati, CA 94391
Justin Calaway

707.975.3926

VIN Number

Parent Job 1304

Itemnumber Description

**NOTE: QUOTE IS GOOD FOR 60 DAYS FROM
DATE ON THIS DOCUMENT.**

Contract Total: \$76,650.00

FACTORY Representative

Date:

Sales Representative

Date: