


# Customer Sales Order

 <p>Steve De La Montanya 143 Meadow Place Windsor, CA 95492</p>	<p>11/12/2013 707-546-1070</p>	<p><b>EMS Redline Ford V-10 Type II "SE"</b> <span style="float:right; font-size: small;">Customer</span></p> <p>720 Portal Street Cotati, CA 94391 Justin Calaway <span style="float:right;">707.975.3926</span></p>	<p><b>1302</b></p> <p><i>VIN Number</i> <i>Parent Job</i> 1302</p>
---	------------------------------------	---	--

Itemnumber	Description		
------------	-------------	--	--

**10 - BASE SECTION**

10.

10. 1	Prep van and fiberglass roof.		
10. 35	(2013 Mid Year) Ford Type II "SE" Base Conversion		<b>\$29,231</b>
10. 66	(2013) FORD V10 E350 Gas Van Chassis 138"		<b>\$33,197</b>

- GVW: 9,500 lbs
- Front Axle: 5,000 lbs Twin-I-Beam
- Rear Axle: 6,340 lbs
- 3.73 Limited Slip Rear Differential
- 4 Wheel Disc Brakes, w/ Anti Lock
- 225 Amp Alternator
- Dual 12-Volt, 650-CCA/72-Amp Hr Batteries
- 6.8L Triton V10 Gasoline Engine
- 305 HP @ 4,250 RPM / 420 ft. lb. Torque @ 3,250 RPM
- 50-State Emission System
- 35 Gallon Midship Fuel Tank
- HD Gas Type Shock Absorbers
- 1.0" Front Stabilizer Bar
- (5) LT245/75R16E BSW All Season Tires
- 5-Speed Torqshift Transmission w/ Overdrive and In-Tank Oil Cooler
- Aux. Transmission Cooler
- 47A Ambulance Prep Package

**20 - PRE TAX**

20.

20. 1	Document Processing Fees		<b>\$50</b>
-------	--------------------------	--	-------------

30.

40.

51.

**200 - INTERIOR CABINETS - STANDARD**

A.



11/12/2013

EMS Redline Ford V-10 Type II "SE"

Customer

1302

Steve De La Montanya  
143 Meadow Place  
Windsor, CA 95492

707-546-1070

720 Portal Street  
Cotati, CA 94391  
Justin Calaway

707.975.3926

VIN Number

Parent Job 1302

Itemnumber	Description	
A. 1	Cabinet lower, street side, center action wall, rear folding stretcher storage @ rear, w/ 1 inch black strap & quick connect clip, (4) storage compartments w/sliding polycarbonate doors, (3) of the (4) storage compartments to have adjustable shelves, (1) open storage area forward of action wall to house (3) latex glove boxes, (1) hinged wood door w/ PVC banded edges w/ (2) vents & non-locking latch for Inverter access. NOTE: (3) boxes of latex gloves included.	
A. 2	Cabinet upper, street side, (2) storage compartments w/sliding polycarbonate doors, (1) lockable drug compartment with hinged wood door w/ PVC banded edges, and 7/8 keyed lock, A/C plenum located above storage compartments w/(6) air output rotating louvers.	
A. 3	Partition/transverse oxygen, street side.	
A. 4	Partition/transverse oxygen "H" or "M"/ALS medical shelves, curb side, solid partition with window opening, recessed aluminum uni-strut in partition wall for (2) ALS adjustable powder coated 21"x12" metal shelves with 1 inch upper lip (trim lock added to lip), top of the transverse oxygen cabinet below shelves will have a 1 inch aluminum lip bordering the outside edges (trim lock added to lip), (4) 1 inch black straps with quick connect clip included, (1) per metal shelf & (2) on top of transverse oxygen cabinet, (2) oxygen access openings on face with hinged polycarbonate doors w/ finger holes, (1) hinged wood door with non-locking latch, w/ PVC banded edges @ side for oxygen tank access, w/ protective stainless steel sill.	
A. 5	Upper partition cabinet, (1) storage compartment w/ self closing hinged polycarbonate door w/ black pull ring latch, (LEADER SE engraved in polycarbonate), (1) A/C intake Gibraltar vent cover.	
A. 6	Squad bench, curb side wall, slanted storage for oversized backboards, constructed of 16 gauge aluminum. (2) hinged seat lids w/ gas cylinder hold open devices & rubber flex draw hold down latches per lid. (1) single backrest, (2) patient retractable lap seat belts, (2) attendant retractable lap seat belts. Squad bench shall be full length, w/ cabinet at head end, which includes a top drop (Kendall 5qt) sharps container & trash container, a single hinged red polycarbonate lid for trash container w/aluminum edge handle. NOTE: (1 Sharps & 1 Trash containers included)	
A. 7	Action wall panel, wood panel laminated with black formica with oxygen & electrical cut outs.	
<b>200 - INTERIOR CABINETS - OPTIONS</b>		
A. 200		
A. 201	SE Center Console w/ (2) cups holders and map storage under lid.	<b>\$322</b>
<b>300 - INTERIOR TRIM AND COLOR - STANDARD</b>		
B.		
B. 1	Floor color/material - (Non Coved), trimed with aluminum cove molding along edges, Anti-Microbial, Lonseal - Lonfloor Flecks #500 Onyx.	
B. 2	Laminate color, exterior upper matte, Light Gray - D 355 / interior compartments to match exterior.	



11/12/2013

EMS Redline Ford V-10 Type II "SE"

Customer

1302

Steve De La Montanya  
143 Meadow Place  
Windsor, CA 95492

707-546-1070

720 Portal Street  
Cotati, CA 94391  
Justin Calaway

707.975.3926

VIN Number

Parent Job 1302

Itemnumber	Description
B. 3	Laminate color, exterior lower matte Dark Gray - 10592 / interior compartments to match exterior. Action wall laminated in Black. Stretcher compartment laminated in Dakota Ridge.
B. 4	Laminate color/material, patient compartment door panels (4), Matte Grey 10592 w / two rear plastic speaker grilles
B. 5	Polycarbonate color .240, Clear
B. 6	Polycarbonate sliding doors, retain handles on doors and provide holes for cable ties.
B. 7	Attendant seat, EVS #17803E Black high back (seamless) attendant seat w/ 3 point restraint, w/ Leader stamped into seat, w/ reinforced pedestal base #CBPED w/out track, seat is in fixed location.
B. 8	Seat Cushions/Back Rest, upholstery color/material - Black-Doeskin #DOS4849 (seamless) w/ 2" foam for seat cushion & back rest, attached with velcro.
B. 9	Headbumpers/Fillers upholstery color/material - Black-Doeskin #DOS4849 w/ 1/4" closed cell foam.
B. 10	Innerliner, fiberglass rear, patient compartment
B. 11	Insulation, foil backed bubble astro-cooler walls and roof areas.

**300 - INTERIOR TRIM AND COLOR - OPTIONS**

B. 300	
B. 301	Rubber mat set (3), rubber mat inserts for (3) ALS shelf areas. <span style="float: right;"><b>\$75</b></span>

**400 - WARNING DEVICES - STANDARD**

C.	
C. 1	Light bar, front low roof, Code III LED/Halogen, #LEDX2100/2158A, Red/Clear lense, steady Red in center section.
C. 2	Warning lights, side, (4) - (2) per side, Code III Halogen #88R, Red.
C. 3	Warning lights, rear outboard, (2) Code III Halogen #88R & #88A, (1) Red, (1) Amber.
C. 4	Warning lights, grille, (2) Code III LED #TRX6R w/ chrome bezel, Red, mounted on upper horizontal OEM grille bar.
C. 5	Scene lights, side (4) - (2) per side, Code III Halogen #88-26 w/ 26 degree angle, Clear.
C. 6	Scene lights, rear inboard, (2) Code III Halogen #88-26 w/ 26 degree angle, Clear.
C. 7	Siren speaker, Cast Products under bumper mount, (2) 100 watt drivers.
C. 8	Warning light flasher (2) Vanner #3250 GCPE
C. 9	Brake light, rear upper center, "Slimline" Incandescent L#18-011148, Red. (Mandatory)



11/12/2013

EMS Redline Ford V-10 Type II "SE"

Customer

1302

Steve De La Montanya  
143 Meadow Place  
Windsor, CA 95492

707-546-1070

720 Portal Street  
Cotati, CA 94391  
Justin Calaway

707.975.3926

VIN Number

Parent Job 1302

Itemnumber Description

C. 10 Back-up alarm, rear mounted, 97 decibel with auto reset, console defeat switch

C. 11 Daytime running lights, cancel when vehicle is placed in Park (OEM Std)

400 - WARNING DEVICES - OPTIONS

C. 400

C. 402 Intersection lights front fenders, (2) Code III 45BZR Red LED w/ chrome flange.

\$316

Note: K Spec Item

500 - ELECTRICAL CONTROL CENTER - STANDARD

D.

D. 1 Overhead console (201 Head Impact Compliant), circuit board with components, Grey ABS material.

D. 2 Electrical switch & siren panels (2), Black Santex material, (back lit) for overhead console.

D. 3 Siren electronic w/ remote amp, Overhead console, Whelen 295HFSA7 Ca. Spec. (high-low deleted) flush mount bezel, dual tone, 100 watt output, w/removable mic, hands free, horn ring control.

D. 4 Indicator lamp Red, DOOR OPEN, C.H. LED pilot light.

D. 5 Switch, PRI. SEC., center off, primary controls all emergency lights, secondary controls rear ambulance warning lights only, panel mounted C.H. LED switch, lit Red/Amber.

D. 6 Switch, BACK-UP ALARM, C.H., non-lit momentary.

D. 7 Switch, LEFT FLOOD, C.H. LED, lit White.

D. 8 Switch, REAR FLOOD, C.H. LED, lit White.

D. 9 Switch, RIGHT FLOOD, C.H. LED, lit White.

D. 10 Switch, PATIENT DOME, 3-way, C.H. LED, lit Amber.

D. 11 Switch, PATIENT HEAT/AC, 3-way, C.H. LED, lit Blue.

D. 12 Switch, MODULE DISCONNECT, C.H. LED, lit Green.

D. 13 Map light, overhead console mounted, (2) dual Red/White LED

D. 14 Speakers, ceiling mounted in cab for communication system, (2), 4 ohm, 6", black grille.

D. 15 Two-way radio power, Positive - Negative - Ignition, with terminal strip, located on partition wall behind drivers seat in cab.  
NOTE: If optional center console is selected re-locate terminal strip to center console.



11/12/2013

EMS Redline Ford V-10 Type II "SE"

Customer

1302

Steve De La Montanya  
143 Meadow Place  
Windsor, CA 95492

707-546-1070

720 Portal Street  
Cotati, CA 94391  
Justin Calaway

707.975.3926

VIN Number

Parent Job 1302

Itemnumber Description

D. 500

600 - ELECTRICAL PATIENT COMPARTMENT - STANDARD

E.

E. 1 Dome lamps, ceiling, (5) flush mount, halogen two-stage, Clear,door jamb switch activated (low intensity) and switch panel activated (high-low).

E. 2 Electrical outlet 12 volt, (1) , rear action wall, cigarette style.

E. 3 Electrical outlet (2) 120V, ALS cabinet, action wall, with pilot lights, mounted on grey plastic housings, wired to shore power.

E. 4 Switch panel rear, (10) position Black Santex (switch plate only) back lit, (includes blank legends)

E. 5 Switch, DOME, 3-way, C.H. LED, lit Amber.

E. 6 Switch, DOME HI-LO, C.H. (non lit)

E. 7 Switch, ELECT SUCTION, C.H.LED, lit Amber.

E. 8 Switch, EXHAUST, C.H. LED, lit Amber.

E. 9 Switch, PATIENT HEAT A/C, 3-way, C.H. LED, lit Blue.

E. 10 Switch, A/C, FAN HI-LO, C.H, (non-lit)

E. 11 Switch, A/C, HEAT-COOL, C.H. (non-lit)

E. 12 Shore power, 120V, 15 amp, behind driver door, Hubbell cast cover, wired to 110V outlets in patient compartment.

E. 13 Restocking light timer, right rear wall, five minute. Controls (3) dome lights over cot, (high intensity)

E. 14 Step Well Light LED, located in side door step well, door switch activated, (Grote)

E. 15 Inverter Pre-Wire, Includes 12volt Pos-Neg with Anderson quick disconnect connector, terminating inside inverter compartment. (Does not include remote panel or rocker switch)

600 - ELECTRICAL PATIENT COMPARTMENT - OPTIONS

E. 600

E. 605 Battery charger, IOTA 45 amp. (connected to shoreline)

\$262

Note: K Spec Item

700 - ELECTRICAL AND MECHANICAL - STANDARD

F.



11/12/2013

EMS Redline Ford V-10 Type II "SE"

Customer

1302

Steve De La Montanya  
143 Meadow Place  
Windsor, CA 95492

707-546-1070

720 Portal Street  
Cotati, CA 94391  
Justin Calaway

707.975.3926

VIN Number

Parent Job 1302

Itemnumber	Description
F. 1	Air conditioning/heater, driver compartment switching control dash, Ford OEM, w/prep for rear air.
F. 2	Air conditioning / heater, patient compartment, ducted central air, with intake vent and (6) A/C round louvers.
F. 3	Power Exhaust vent, left rear, Cast Products exterior cover, interior louver round
F. 4	Air conditioning hose, shielded low loss, wedged on fittings, R134 (included w/ F2)
F. 5	Heater hose, Nomex, Ford QVM (included w/ F2)
F. 6	Alternator, OEM.
F. 7	Shut Down Timer, with 5 min. delay activated via ignition switch.
F. 8	Antenna wiring, center roof location, (2) coax RG58A/U, stainless steel mounting plates (plugged), terminates behind driver's seat.
F. 9	Wiring loom, Leader fabricated, hi temp SXL, color coded, number coded and function labeled, with split loom wire protection
F. 10	Auto Throttle (Gas Engine), In-Power #ETM52QVM-2 (Ford QVM Approved)

F. 700

**800 - OXYGEN SYSTEM - STANDARD**

G.

G. 1	Aspirator, action wall area, SSCOR 22000, flush mount panel and gauge.
G. 2	Vacuum pump, 12V, w/vent tube to exterior.
G. 3	Oxygen system, Amico Ohio style quick release, (2) outlets in action wall panel.
G. 4	Oxygen bottle rack, transverse mount, Leader Brand, Must Specify "M" or "H" tank. (Leader Brand has the capability of stacking "M" size, one on top of the other)

**800 - OXYGEN SYSTEM - OPTIONS**

G. 800

G. 804	Oxygen regulator, preset 50 psi.	\$82
<b>Note: K Spec Item</b>		
G. 810	Oxygen wrench, cable to wall by large bottle.	\$28
<b>Note: K Spec Item</b>		

**900 - HARDWARE -STANDARD**



11/12/2013

EMS Redline Ford V-10 Type II "SE"

Customer

1302

Steve De La Montanya  
143 Meadow Place  
Windsor, CA 95492

707-546-1070

720 Portal Street  
Cotati, CA 94391  
Justin Calaway

707.975.3926

VIN Number

Parent Job 1302

Itemnumber Description

H.

H. 1 Seat belts, patient compartment, (4) sets of lap belts, (2) for squad bench attendants, (2) for squad bench patient. Black color.

H. 2 I.V. holder (2) wall mount, chrome spring loaded clip, surface mount. (See print for location)

H. 3 (4) Pull handles, patient doors

H. 4 Ceiling grab rail, center mounted, stainless steel finish, 60" length.

H. 5 Door hold open, back doors, Cast Products, polished aluminum with replaceable rubber insert.

H. 6 Rear Step, grip strut grating, grey powder coat,

H. 7 Door sill rear, #4 bright stainless steel, full width with ramp edge.

H. 8 Hardware plates, ceiling area, (4) mounting plates for hanging hardware, (2) mounting plates for squad bench cargo net.

900 - HARDWARE - OPTIONS

H. 900

H. 904 Net, Font End of Squad Bench. (1) Leader style, (5) Ankra fasteners, (1) ratchet buckle, and Black 1 1/2" webbing. \$314

H. 905 Fire Extinguisher,ABC,5 Lb. Loose \$51  
Note: Quantity: Two (2)  
K Spec Item.

1000 -PATIENT HANDLING EQUIPMENT - STANDARD

I.

I. 1 Cot fastener, Stryker #6371, rear hook wall mount, front antlers removable. (specify cot model)  
NOTE: Location change on 2012 "SE" Move 1 1/2" towards rear.

I. 1000

1100 -PAINT, BODY AND GRAPHICS - STANDARD

J.

J. 1 Emblems, Leader front fenders, rear doors, no smoking labels, ETC.

1100 -PAINT, BODY AND GRAPHICS - OPTIONS

J. 1100



11/12/2013

EMS Redline Ford V-10 Type II "SE"

Customer

1302

Steve De La Montanya  
143 Meadow Place  
Windsor, CA 95492

707-546-1070

720 Portal Street  
Cotati, CA 94391  
Justin Calaway

707.975.3926

VIN Number

Parent Job 1302

Itemnumber	Description	
J. 1101	Add window tint to patient compartment OEM windows.	\$161

*By signing the following document you are entering into a sales agreement with Leader Industries to purchase the above vehicle/s.*

**Contract Total: \$64,089.00**

Customer Representative

Date:

Sales Representative

Date: