


GPS NAVIGATION & BACKUP CAMERA SYSTEM

Valid Through Dec. 31 2012

Model No.	Description	Pricing	
7" GPS Navigation & Back Up Camera System		Dist. Price \$	Sugg. Retail \$
<p>SYS-7101GPS</p> 	<p>7" GPS Navigation & Back Up Camera System (Single Camera Only)</p> <p>High resolution Touchscreen with LED-backlight</p> <p>Auto Activated SONY 1/3" Color CCD Back Up Camera</p> <p>Complete North America Updated Maps (USA/Canada/Mexico)</p> <p>Single Cable Setup w/Multi-cable Mitsumi multi plug</p> <p>Volume and brightness adjustable via buttons on the unit</p> <p>Automatic dimmer for optimal views in all brightness levels</p> <p>Audio transmission from camera & speaker connectable</p> <p>Large, easy to use ON / OFF switch</p> <p>3 view modes: navigation, PiP (camera in navigation), camera</p> <p>Extended battery life</p> <p>Legible even in direct sunlight</p>	<p>\$650.00</p>	<p>\$895.00</p>

* Full specifications and product manuals on request

* COPYRIGHTS© 2011 Optimo Electronics, Inc.. All RIGHTS RESERVED

COMMERCIAL DUTY CAMERA SYSTEMS

Valid Through Dec. 31 2012

Model No.	Description	Pricing	
7" THIN LINE Camera Systems		Dist. Price \$	Sugg. Retail \$
SYS-7211THIN 	Single Camera THIN Line Camera System 7" LCD Color Monitor w/built in audio Available in Full Screen Only w/integrated switch box Monitors & Cameras designed for the most rugged conditions Monitors built to handle Vibration(7G) Cameras protected for water intrusion, salt, and extreme temperatures Auto Power On/Power Off & Built In Triggered Camera Switching Military spec weatherproof cable lengths to fit any application Free power input DC11V ~ 24Volts protected from power fluctuation Standard 1 Year Factory Warranty on all system components	\$250.00	\$375.00
SYS-7222THIN	Double - 2 Camera System	\$375.00	\$562.50
7" Commercial Duty Camera Systems		Dist. Price \$	Sugg. Retail \$
SYS-7211CD 	Single Camera Commercial Duty Camera System 7" LCD Color Monitor w/built in audio Available in Full Screen Only w/integrated switch box Monitors & Cameras designed for the most rugged conditions Monitors built to handle Vibration(7G) Cameras protected for water intrusion, salt, and extreme temperatures Auto Power On/Power Off & Built In Triggered Camera Switching Military spec weatherproof cable lengths to fit any application Free power input DC11V ~ 24Volts protected from power fluctuation Standard 1 Year Factory Warranty on all system components	\$325.00	\$487.50
SYS-7222CD	Double - 2 Camera System	\$475.00	\$712.50
3.3" Commercial Duty RVM Camera Systems		Dist. Price \$	Sugg. Retail \$
SYS-GEN331 	Single Camera Rear View Mirror Camera System 3.3" OEM Replacement Rear View Mirror LCD Color Monitor Auto Dimming Mirror w/Home Link (option) Available in Full Screen View w/integrated switch box Wide range of back up cameras to fit any vehicle application Cameras protected for water intrusion, salt, and extreme temperatures Auto Power On/Power Off & Built In Triggered Camera Switching Military spec weatherproof cable lengths to fit any application Free power input DC11V ~ 24Volts protected from power fluctuation Optional Transflective Compass Built In Mirror Standard 3 Year Factory Warranty on Rear View Mirror	\$495.00	\$643.50

* Full specifications and product manuals on request

* COPYRIGHTS© 2011 Optimo Electronics, Inc.. All RIGHTS RESERVED

EXTREME DUTY CAMERA SYSTEMS

Valid Through Dec. 31 2012

Model No.	Description	Pricing	
7" EXTREME DUTY Color Camera Systems		Dist. Price \$	Sugg. Retail \$
SYS-7311ED 	Single Camera Extreme Duty Camera System 7" LED (backlit) Color Monitor w/built in audio Available in Full Screen Only w/integrated switch box Monitors & Cameras designed for the most rugged conditions Monitors built to handle Vibration(10G) & Water Resistance (IP64 Opt.) Cameras protected for water intrusion, salt, and extreme temperatures Distance grid for automatically displays when vehicle in reverse Auto Power On/Power Off & Built In Triggered Camera Switching Military spec weatherproof cable lengths to fit any application Free power input DC11V ~ 32Volts protected from power fluctuation Standard 2 Year Factory Warranty on all system components	\$450.00	\$675.00
SYS-7322ED	Double - 2 Camera System	\$600.00	\$900.00
SYS-7333ED	Triple - 3 Camera System	\$750.00	\$1,125.00
7" EXTREME DUTY Color Camera Systems		Dist. Price \$	Sugg. Retail \$
SYS-7411ED "QUAD" SPLIT SCREEN MONITOR 	Single Camera Extreme Duty Camera System 7" LED (backlit) Color Monitor w/built in audio Available in Full, Split, Triple, PIP, QUAD Views w/integrated switch box Monitors & Cameras designed for the most rugged conditions Monitors built to handle Vibration(10G) & Water Resistance (IP64 Opt.) Cameras protected for water intrusion, salt, and extreme temperatures Distance grid for automatically displays when vehicle in reverse Auto Power On/Power Off & Built In Triggered Camera Switching Military spec weatherproof cable lengths to fit any application Free power input DC11V ~ 32Volts protected from power fluctuation Standard 2 Year Factory Warranty on all system components	\$525.00	\$787.50
SYS-7422ED	Double - 2 Camera System	\$675.00	\$1,012.50
SYS-7433ED	Triple - 3 Camera System	\$825.00	\$1,237.50
SYS-7444ED	QUAD - 4 Camera System	\$975.00	\$1,462.50
5" EXTREME DUTY Color Camera Systems		Dist. Price \$	Sugg. Retail \$
SYS-5311ED "IP68" FULL WEATHERPROOF MONITOR 	Single Camera Extreme Duty Camera System 5" LED (backlit) Color Monitor w/built in audio Available in Full Screen Only w/integrated switch box Monitors & Cameras designed for the most rugged conditions Monitors built to handle Vibration(15G) & Water Resistance (IP68) Cameras protected for water intrusion, salt, and extreme temperatures Distance grid for automatically displays when vehicle in reverse Auto Power On/Power Off & Built In Triggered Camera Switching Military spec weatherproof cable lengths to fit any application Free power input DC11V ~ 32Volts protected from power fluctuation Standard 2 Year Factory Warranty on all system components	\$450.00	\$675.00
SYS-5322ED	Double - 2 Camera System	\$600.00	\$900.00
SYS-5333ED	Triple - 3 Camera System	\$750.00	\$1,125.00

* Full specifications and product manuals on request

* COPYRIGHTS© 2011 Optimo Electronics, Inc.. All RIGHTS RESERVED

MOBILE DVR RECORDING SYSTEMS

Valid Through Dec. 31 2012

Model No.	Description	Pricing	
8 Channel Mobile DVR Recording System		Dist. Price \$	Sugg. Retail \$
OP DRX2008 	8 Ch. Extreme Duty Mobile DVR Most stable and easy to use DVR system on market Shock and vibration resistant Operating System: Embedded Linux Compression: H264, JPEG With Removable & Lockable 320GB HDD 8 Video In / 8 Audio In / 8 Alarm In 2 Video Out / 2 Audio Output / 2 Alarm Out 2 USB 2.0 / RS-232 / 100 Base (Ethernet) Display Resolution: NTSC 720x480 Display Speed: Real Time Display Record Resolution: NTSC 720x480, 720x240, 360x240 Record Speed: NTSC: 60fps(720x480), 120fps(720x240) Very small & compact size : 178 X 170 X 50 mm, 1.1Kg	\$1,095.00	\$1,642.50
4 Channel Mobile DVR Recording System		Dist. Price \$	Sugg. Retail \$
OP DRX2004 	4 Ch. Extreme Duty Mobile DVR Most stable and easy to use system on market Shock and vibration resistant Operating System: Embedded Linux Compression: H264, JPEG With Removable & Lockable 320GB HDD 4 Video In / 4 Audio In / 8 Alarm In 2 Video Out / 2 Audio Output / 2 Alarm Out 2 USB 2.0 / RS-232 / 100 Base (Ethernet) Display Resolution: NTSC 720x480 Display Speed: Real Time Display Record Resolution: NTSC 720x480, 720x240, 360x240 Record Speed: NTSC: 60fps(720x480), 120fps(720x240) Very small & compact size : 178 X 170 X 50 mm, 1.1Kg	\$895.00	\$1,342.50
4 Channel Mobile "BLACK BOX" DRIVE RECORDER		Dist. Price \$	Sugg. Retail \$
OP DR4000 Smart Black Box Recorder 	4 Ch. Drive Recorder Black Box (5V Camera System) Modes: Continuous / Event / Emergency Button Recording Memory: 4GB SDHC (supports 32GB SDHC) Compression: MPEG4 & MJPEG External GPS, Car Speed, & Google Earth Support Internal 3 Axis G Sensor, RTC, Super Capacitor Locking Steel Housing w/Key 4 Video In / 1 Audio In / 3 Alarm In (Door, Taxi Meter, Etc.) Advanced Data Analysis & Reporting Software Record Resolution: NTSC 720x480, 720x240, 360x240 Record Speed: NTSC: 60fps(720x480), 120fps(720x240) Very small & compact size : 70 X 99 X 21 mm, 100g	\$395.00	\$592.50

* Full specifications and product manuals on request

* COPYRIGHTS© 2011 Optimo Electronics, Inc.. All RIGHTS RESERVED

COLOR LED/LCD MOBILE MONITORS

Valid Through Dec. 31 2012

Model No.	Description	Pricing	
EXTREME DUTY LED Color Monitors		Dist. Price \$	Sugg. Retail \$
OP 704ED "QUAD" <i>Split Screen Capable</i> 	7" LED Extreme Duty QUAD Monitor (4 Cam Capable) QUAD/TRI/SPLIT/PIP/FULL View Modes Designed for Extreme Environments - 10G Vibration Resistant Rainproof Housing IP64 (optional) 4 Camera Capable, 4 Auto Triggers LED Backlighting (20,000 Hours Life) Optional Adjustable Parking Guide Lines LED Buttons for night time use Built in circuit protection chipset Shutter Camera Capable Operating Temp. (-20°C ~ 60°C)	\$350.00	\$525.00
OP 703ED "3 Ch." 	7" LED Extreme Duty 3 Ch. Monitor (3 Cam Capable) FULL Screen View Modes Designed for Extreme Environments - 10G Vibration Resistant Rainproof Housing IP64 (optional) 3 Camera Capable, 3 Auto Triggers LED Backlighting (20,000 Hours Life) Optional Adjustable Parking Guide Lines LED Buttons for night time use Built in circuit protection chipset Shutter Camera Capable Operating Temp. (-20°C ~ 60°C)	\$275.00	\$412.50
OP 503ED "3 Ch" <i>Outdoor Full Weatherproof Monitor</i> 	5" LED Extreme Duty 3 Ch. Monitor (3 Cam Capable) FULL Screen View Modes Designed for Extreme Environments - 15G Vibration Resistant FULL Waterproof Die Cast Housing IP68 Standard 3 Camera Capable, 3 Auto Triggers LED Backlighting (20,000 Hours Life) Optional Adjustable Parking Guide Lines LED Buttons for night time use Built in circuit protection chipset Shutter Camera Capable Operating Temp. (-20°C ~ 60°C)	\$350.00	\$525.00
Commercial Duty LCD Color Monitors		Dist. Price \$	Sugg. Retail \$
OP 702THIN "2 Ch" 	7" LCD Color Monitor w/Audio (2 Cam Capable) FULL Screen View Modes Designed for Commercial Environments - 5G Vibration Resistant 2 Camera Capable, Rear Camera Auto Trigger High Sharpness & Brightness Built in sun-shield for picture clarity in sunlight Versatile mounting options Built in circuit protection chipset Operating Temp. (-20°C ~ 60°C)	\$175.00	\$262.50
OP GEN330 "OEM RVM" 	3.3" LCD Color Gentex OEM Replacement Rear View Mirror Highest Quality OEM Rear View On Market Auto Triggered Back Up Camera Ideal for applications who still plan to utilize rear view mirror No Dead Spot in reflective rear view mirror Auto Dimming Mirror Glass On/Off Optional Transflective Compass built in mirror High Sharpness and Brightness Operating Temperature: -20°C ~ 60°C	\$395.00	\$592.50

MOBILE COLOR CAMERAS

Valid Through Dec. 31 2012

Model No.	Description	Pricing	
EXTREME DUTY All Weather Sony Color Cameras		Dist. Price \$	Sugg. Retail \$
OP 31-IR 	Designed for Extreme Environments, DC 12V 1/3" Sony Super HAD Color CCD Angle of View: 130° 6 Infrared Ultra Powered LED for ultra low light performance (0 Lux) Superior Image Quality (420 TV Lines) High Sharpness & Brightness Full Waterproof (IP68) & Die-casting Housing Built in Hi Sensitive C-mic Normal or Mirror Image View Support	\$175.00	\$262.50
OP 30M 	Designed for Extreme Environments, DC 12V 1/3" Sony Super HAD Color CCD Angle of View: 130° Excellent Night View (0.1 Lux) Superior Image Quality (420 TV Lines) High Sharpness & Brightness Full Waterproof (IP68) & Die-casting Housing Built in Hi Sensitive C-mic Normal or Mirror Image View Support	\$175.00	\$262.50
OP 21-IR 	Designed for Extreme Environments, DC 12V 1/3" Sony Super HAD Color CCD Angle of View: 120° 6 Infrared Ultra Powered LED for ultra low light performance (0 Lux) Superior Image Quality (420 TV Lines) High Sharpness & Brightness Full Waterproof (IP67) & Die-casting Housing Built in Hi Sensitive C-mic Normal or Mirror Image View Support	\$185.00	\$277.50
OP 20M 	Designed for Extreme Environments, DC 12V 1/3" Sony Super HAD Color CCD Angle of View: 120° Ultra low light performance (0.1 Lux) Superior Image Quality (420 TV Lines) High Sharpness & Brightness Full Waterproof (IP67) & Die-casting Housing Built in Hi Sensitive C-mic Normal or Mirror Image View Support	\$185.00	\$277.50
Commercial Duty All Weather Color Cameras		Dist. Price \$	Sugg. Retail \$
OP 26-IR 	Designed for Commercial Truck/Bus, DC 12V 1/3" Sharp Color CCD Angle of View: 120° 18 Infrared Ultra Powered LED for ultra low light performance (0 Lux) Superior Image Quality (380 TV Lines) High Sharpness & Brightness Full Waterproof (IP67) & Die-casting Housing Operating Temperature: -20°C ~ 75°C Built in Hi Sensitive C-mic	\$135.00	\$202.50
OP 120M 	Designed for Van/Passenger Car 1/3" Hi Resolution CMOS, Fully Waterproof (IP68) Angle of View: 162° Video out: 1.0 Vp-p (Composite) Min. Illumination: 1 lux Operating Temperature: -30°C ~ 85°C Input Voltage: DC 12V (±20%) Low Power consumption: Max. 35mA 28.00 x 29.00 x 26.00 mm, 113g	\$155.00	\$232.50

MOBILE COLOR CAMERAS

Valid Through Dec. 31 2012

Model No.	Description	Pricing	
Commercial Duty All Weather Color Cameras		Dist. Price \$	Sugg. Retail \$
OP 120M 	Designed for Van/Passenger Car 1/4" Hi Resolution CMOS Angle of View: 120° 6 Infrared Ultra Powered LED for ultra low light performance (0 Lux) Superior Image Quality (380 TV Lines) High Sharpness & Brightness Full Waterproof (IP67) & Die-casting Housing Operating Temperature: -20°C ~ 75°C Flush custom angle mounting bracket and screw bit provided	\$120.00	\$180.00
INTERIOR Sony 1/3" High Resolution Color Cameras		Dist. Price \$	Sugg. Retail \$
OP 100-IR 	Designed for Commercial Truck/Bus, DC 12V & 5V (for DR4000) 1/3" Sony Super HAD Color CCD II Angle of View: 145° 4 Infrared Ultra Powered LED for ultra low light performance (0 Lux) Superior Image Quality (420 TV Lines) High Sharpness & Brightness Full Waterproof (IP67) & Die-casting Housing Built in Hi Sensitive C-mic Normal or Mirror Image View Support	\$150.00	\$225.00
OP 100 	Interior Forward Facing Camera through windshield Designed for Commercial Truck/Bus, DC 12V & 5V (for DR4000) 1/3" Sony Super HAD Color CCD II Angle of View: 90° 4 Infrared Ultra Powered LED for ultra low light performance (0 Lux) Superior Image Quality (420 TV Lines) High Sharpness & Brightness Full Waterproof (IP67) & Die-casting Housing Normal Image View Support	\$145.00	\$217.50
OP 200D 	Interior Vandal Proof Dome Camera 1/3" Sony Super HAD Color (High Sensitivity CCD II) Angle of View: 90° Min. Illumination: .1 lux Superior Image Quality (550 TV Lines) High Sharpness & Brightness Operating Temperature: -20°C ~ 60°C Input Voltage: DC 12V (±20%)	\$245.00	\$367.50
OP 700PZ 	Zoom Camera for Police Car Application Forward Facing High Quality Zoom Camera Sony FCB-EX20D Zoom module 1/3" Sony Super HAD CCD II 10x Optical Zoom (Auto Focus, Auto Iris, Zoom Tracking) Day & Nighttime Function Easy to use and operate High Resolution (530 TV Lines) Smart One Touch Zoom In/Out Button Secure Windshield Mounting Bracket	\$595.00	\$892.50

Terms & Conditions

- * All pricing terms and conditions are subject to change
- * Specification and design subject to changes, upgrades, enhancements
- * Full Specification and installation manuals at request